

KubeSolo

- [Установка](#)
 - [Пример начальной установки](#)

Установка

Пример начальной установки

```
curl -sfL https://get.kubesolo.io | sudo sh -
```

Получили примерно следующее:

```
[[[Detected glibc system
[[[Detected init system: systemd
[[[Detected environment: standard
[[[Checking for Docker prerequisite conflicts...
[ No Docker installation detected
[[[Checking hostname RFC 1123 compliance...
[ Hostname 'mis' is RFC 1123 compliant
[[[Checking iptables xt_comment module support...
[ iptables with xt_comment module support verified
[[[Checking for required cgroups controllers...
[ All required cgroups v2 controllers are available: cpuset cpu io memory hugetlb pids rdma
misc dmem
[[[Checking for running KubeSolo processes...
[ No running KubeSolo processes found
[[[Checking for processes holding KubeSolo ports...
[ No KubeSolo processes found holding ports
[[[Checking for file conflicts...
[ No file conflicts detected
[[[Installing kubesolo v1.1.7 for systemd init system...
[[[Downloading kubesolo v1.1.7...
[[[Extracting kubesolo...
[[[Installing binary...
[[[Setting up kubesolo service...
Created symlink /etc/systemd/system/multi-user.target.wants/kubesolo.service →
/etc/systemd/system/kubesolo.service.
[ kubesolo service created and started with systemd
[[[Service status and logs:
```

Status: systemctl status kubesolo

Logs: journalctl -u kubesolo -f

❏❏ kubectrl not found, skipping kubeconfig merge

❏❏To use kubectrl, please install it first: <https://kubernetes.io/docs/tasks/tools/install-kubectrl/>

❏❏Kubeconfig location: /var/lib/kubesolo/pki/admin/admin.kubeconfig

❏ kubesolo installation completed!